	Approved	For Release 200	_, , , , , , , , , , , , , , , , , , ,	1-KDF 00-000 10F	4001700020001	1-0		25X
•	CLA	SSIFICATION S S CENTRAL IN	ecret/coltr ecurity thi telligence	ROL - U.S.C. FORTATION AGENCY	REPORT NO.			
		NFORMA	TION F	REPORT	CD NO.			
COUNTRY	East Germ	any			DATE DISTR		August	1953
Segrection (ka lroad	Construction	Projects		NO. OF PAG	£\$	5	
X1A FLACE ACQUIRE	o			***	NO. OF ENC	LS.		
DATE OF INFO.					SUPPLEMEN REPORT NO.			
	N SEPRODUCTION OF THIS FORM					,		25X
1X 1.	near Schoenflies In late April,	ss on the Kard source learned	w-Birkenwe I that eart	rder railroad h works on th	line. ¹ e Hennigsdor	f-Bri	eselang	25X
1., 2., 3.	In late April, a railroad line was ordered to a line between the line between been started. A l:400 meters and April 1953, the see to it that a dismantled by the	ss on the Kard source learned buld be comple stake off the source observe n Wuhlheide an if grades in t if no curves mu regional rail the steel supe ne dates menti	that eart eted in abo further could that pred Karow on this line sust have a rectorate road headquestructure	rder railroad h works on th ut two renths urse of the 1 paratory work the Berlin O ection must b smaller radiu General, Rail uarters invol	e Hennigsdor The survey ine involved for the imp uter Freight be below the s than 2,000 roads, Berli ved were ord owing bridge	f-Briding by 2 rovemeration meters n, on erred s be	eselang ureau ent of had of rs. 3	
1. 2. 3. 1X 5X1	In late April, a railroad line was ordered to a line between the line between been started. At 1:400 meters and April 1953, the see to it that a	ss on the Kard source learned buld be comple stake off the source observe n Wuhlheide an li grades in t i no curves nu regional rail the steel supe	that eart eted in abo further could that pred Karow on this line sust have a rectorate road headquestructure	rder railroad h works on th ut two renths urse of the 1 paratory work the Berlin O ection must b smaller radiu General, Rail uarters invol	e Hennigsdor The survey ine involved for the imp uter Freight be below the s than 2,000 roads, Berli ved were ord owing bridge	f-Briding by 2 rovemeration meters n, on erred s be	eselang ureau ent of had of rs. 3 8 to	
1. 2. 3. 1X 5X1	In late April, railroad line was ordered to a line between the line between been started. A l:400 meters and April 1953, the see to it that a dismantled by the superstructures	ss on the Kard source learned buld be comple stake off the source observe h Wuhlheide an if grades in the if no curves mu pregional rail the steel supe he dates menti Location Bornholmer S	that eart ted in abo further cond that pred that pred that pred that pred that pred the transport of the terms of the term	rder railroad h works on th ut two months urse of the 1 paratory work the Berlin O ection must b smaller radiu General, Rail uarters invol s of the foll	e Hennigsdor The survey ine involved for the imp uter Freight be below the s than 2,000 roads, Berli ved were ord owing bridge	f-Briding by 2 rovem. Ring ratio meter. n, on ered s be Completed in 19	eselang ureau ent of had of rs. 3 8 to	
1. 2. 3. 1X 5X1	In late April, railroad line was ordered to a line between the line between started. A l:400 meters and April 1953, the see to it that a dismantled by the superstructures	ss on the Kard source learned buld be comple stake off the source observe h Wuhlheide an if grades in the if no curves mu pregional rail the steel supe he dates menti Location Bornholmer S	that eart ted in abo further conditated that pred that pred that pred that pred that pred that pred that are to a term a term and headquestructure oned:	rder railroad h works on th ut two months urse of the 1 paratory work the Berlin O ection must b smaller radiu General, Rail uarters invol s of the foll 5.604 on the	e Hennigsdor The survey ine involved for the imp uter Freight be below the s than 2,000 roads, Berli ved were ord owing bridge	f-Briding by 2 rovem. Ring ratio meter. n, on ered s be Completed in 19	eselang wreau ent of had of rs. 3 8 to	
1. 2. 3. 1X 5X1	In late April, railroad line was ordered to a line between the line between been started. A l:400 meters and April 1953, the see to it that a dismantled by the superstructures	ss on the Kard source learned buld be comple stake off the source observe h Wuhlheide an if grades in t if no curves mu pregional rail the steel supe he dates menti Location Bornholmer 3 at kilometer	that eart eted in abo further could that pred that pred that pred that pred that pred that a set have a rectorate road headquestructure oned: trasse marker 13 aborg railre	rder railroad h works on th ut two months urse of the 1 paratory work the Berlin O ection must b smaller radiu General, Rail uarters invol s of the foll 5.604 on the oad line .356 on the	e Hennigsdor The survey ine involved for the imp uter Freight be below the s than 2,000 roads, Berli ved were ord owing bridge	f-Briding book 2 rovem. Ring ratio meter n, on ered in 19	eselang wreau ent of had of rs. 3 8 to	25X
1. 2. 3. 1X 5X1	In late April, a railroad line was ordered to a was ordered to a line between the line between started. A l:400 meters and April 1953, the see to it that a dismantled by the line between the line between started. A l:400 meters and line line between started. A line line between started. A line line line between started. A line line line line line line line line	ss on the Kard source learned buld be comple stake off the source observe h Wuhlheide an il grades in the dince curves mu regional rail the steel supe he dates menti Location Bornholner 3 at kilometer Horka-Falken at kilometer	that eart eted in abo further could that pred that pred that pred the state of the	rder railroad h works on th ut two renths urse of the 1 paratory work the Berlin O ection must b smaller radiu General, Rail uarters invol s of the foll 5.604 on the oad line .356 on the ilroad line .62 on the	e Hennigsdor The survey ine involved for the imp uter Freight be below the s than 2,000 roads, Berli ved were ord owing bridge	f-Briding b. 2 rover. Ring ratio meter and so be Completed in 19 3C 20	eselang wreau ent of had of rs. 3 8 to	

		Si	ecret/contro	OL - U.S.	OFFICIALS (DNLY			
				·- 2 ·-			*	*	25X1A
	3		at kilomet Gross Both	er narker en-Grinna	62.178 on trailroad li	the Ine		15 May	
25X1X	1				145.503 on heîm railro			30 April.	•
25X1X	of the room the waside of narrow-g	ailroad bestern be the river	ce observed bridge over ank of the r was being ld railroad 5	the Neiss river. The reconditi	e River ne railroad oned. Two	ar Kuskau embankment constructi	had been on the e on sheds,	made ast 12	
6	. In early railroad been sta	viaduct	source lear near Herrn	ned that what which the	ork on the Loebau-Zi	reconstru ttau railr	etion of cad line	the had	
7	. In mid A shunting	pril, so	urce Learne urce Learne	ed from a t constructi	crustworthy Lon at Koen	acquaints igstein ne	nce that ear Bad Sc	a chandau. 7	
25X1 8 25X1	to be co	nstructe	a plan of t	sation.			cated 12 shows the		
	. Source o 25 Febru railroad	ary 1953	the followi , and relat	ing information the	improvemen	t of the f	elzig-Err		25X1
	a. The will	project, L be exec	which was uted in 199	originally 54/1955。	y scheduled	to be ex	ecuted in	1953/1954,	
	besi	ides are	the line, overage. Ni c on the li	inty percen	of type 6 nt of the t	and 10, and 10s are no	e too we: ot adequa:	ak and te for the	
	it v and the	will be c two narr	ted to reinf capable of a cow curves were in to least cafety and a	en axle pro will be el: be replace	essure of li iminated; t d by a perm	3 tons. E he tempor manent str	messive my bridga acture: a	grades e over nd the	d.°
25X1A ≟	in late	omment. S 1952. It	Schoenflies: t was origin	s is on th nally not	e Nordring scheduled i	Berlin wh to serve a	ich was c s a railr	omple ted oad check	
	is under far as l	r constru Briesele	This information. In the transfer	1953, the	Nordwestria of the lim	ng was to ne was to	be built to compi	only as	
25X1A	Wusterm	st 1953. ark line	section wa	s postpone				9	25X1

SECFET/CONTROL - U.S. OFFICIALS ONLY

25X1A 25X1A


		SECRET/COMPRES - 0.5. GFF TOTALS UNLI
		- 3 -
25X1A 25X1	3.	Comment. In 1954, this eastern section of the Perlin Cuter Freight Ring was scheduled to be double-tracked and the course of the line improved.
25X1A	Ls.u	Comment. The bridge section mentioned will be used on the Fordwestring Berlin. Since steel is a critical item in East Cernany, the East German railroad authorities dismantle all the bridges in the course of dismantled second tracks. The Gross Fothen-Grimma line is the only single-track line mentioned in the tabulation. This line was also dismantled.
25X1A 25X1A	5.	Corment. The beginning of construction work at the eastern end of the reilroad bridge over the Neisse River near Muskau was reported previously. The reconstruction of the bridge was included in the 1953 railroad construction program.
25X1A	6,	Comment. This information refers to the reconstruction in a parameter way of the two central arches of this railroad viaduct which was demolished at the end of the war.
25X1A	7.	Comment: This information is received for the first time. Bad Schandau is the most important railroad border station on the German-Czechoslovakian frontier. The installation at present handles 500 to 600 freight cars daily in every direction. This volume of traffic is too hoavy for the installations available there. It is therefore possible that Koenigstein railroad station, about 6 km west of Bad Schandau, is to be enlarged in order to ease the traffic strain on Bad Schandau railroad station.
25X1A	3	Comment. For original plan, see Annex. Kuestrin is an important border crossing point used for Soviet transit traffic. Information on the enlargement of this installation which appears to make show progress was transmitted previously.
25X1A	9.	Corment. The improvement of the Belzig-Frandenburg railroad line was included in the 1953 railroad construction program.

SECRET/CONTROL - U.S. OFFICIALS ONLY

25X1A

ESCRET/COLLINOL - U. S. CFFICIALS ONLY

g g



Approved For Release 2002/07/15: CIA-RDP80-00810A001700020001-0

alo sivicias o o e conscojandas

25X1A

(autensian from pege 1)

